

Glass Type	Glass Thickness	PVB Thickness (mm)	
	(mm)	Short Side L≤800mm	Short Side L>800mm
Annealed Laminated Glass	≤6	0.38	0.38
	8	0.38	0.76
	10	0.76	0.76
	12	1.14	1.14
	15/19	1.52	1.52

Glass Type	Glass Thickness	PVB Thickness (mm)		
	(mm)	Short Side L≤800mm	800mm<Short Side L≤1500mm	Short Side L>1500mm
Flat Tempered Laminated Glass Flat Heat-strengthened Laminated Glass	≤6	0.76	1.14	1.52
	8~12	1.14	1.52	1.52
	≥15	1.52	2.28	2.28

Glass Type	Glass Thickness	PVB Thickness (mm)	
	(mm)	R>3m	R≤3m
Curved Tempered Laminated Glass Curved Heat-strengthened Laminated Glass	≤8	2.28	3.04
	≥10	3.04	3.04
Heat-bent Laminated Glass	≤6	0.76	1.14~1.52
	≥8	1.14	1.52